

W & H Service Oil F1 MD 30 Standard

Version 1.2 Revision Date 15.07.2016 Print Date 15.07.2016

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name : W & H Service Oil F1 MD 30 Standard

Article-No. : 028121

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the : Lubricating oil

Substance/Mixture

Recommended restrictions

on use

: Restricted to professional users.

1.3 Details of the supplier of the safety data sheet

Klüber Lubrication München

Geisenhausenerstr. 7 81379 München Deutschland

Tel: +49 (0) 89 7876 0 Fax: +49 (0) 89 7876 333 info@klueber.com

E-mail address : mcm@klueber.com

Responsible/issuing person Material Compliance Management

National contact : Klüber Lubrication Great Britain Limited

Unit 10 Pennine Business Park

Longbow Close Huddersfield

West Yorkshire HD2 1GQ

Great Britain

Tel: +44-1422-205115 Fax: +44-1422-206073 sales@uk.klueber.com

1.4 Emergency telephone number

+49 89 7876 700 (24 hrs)

2. Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

Classification (67/548/EEC, 1999/45/EC)

Not a hazardous substance or mixture.



W & H Service Oil F1 MD 30 Standard

Version 1.2 Revision Date 15.07.2016 Print Date 15.07.2016

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

2.3 Other hazards

3. Composition/information on ingredients

3.2 Mixtures

Chemical nature : Synthetic hydrocarbon oil

ester oil

Remarks : No hazardous ingredients

4. First aid measures

4.1 Description of first aid measures

If inhaled : Remove person to fresh air. If signs/symptoms continue, get

medical attention.

Keep patient warm and at rest.

If unconscious place in recovery position and seek medical

advice.

Keep respiratory tract clear.

If breathing is irregular or stopped, administer artificial

respiration.

In case of skin contact Take off all contaminated clothing immediately.

> Wash off immediately with soap and plenty of water. Get medical attention immediately if irritation develops and

persists.

Wash clothing before reuse.

Thoroughly clean shoes before reuse.

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids,

for at least 10 minutes.

If eye irritation persists, consult a specialist.

If swallowed : Move the victim to fresh air.

If unconscious place in recovery position and seek medical

advice.

Keep respiratory tract clear. Do NOT induce vomiting. Rinse mouth with water.

Never give anything by mouth to an unconscious person.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms : No information available.

Risks : None known.

4.3 Indication of any immediate medical attention and special treatment needed

according to Regulation (EC) No. 1907/2006 - GB



W & H Service Oil F1 MD 30 Standard

Version 1.2 Revision Date 15.07.2016 Print Date 15.07.2016

Treatment : No information available.

5. Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or

carbon dioxide.

Unsuitable extinguishing

media

: High volume water jet

5.2 Special hazards arising from the substance or mixture

Specific hazards during

: Fire may cause evolution of:

firefighting

Carbon oxides

5.3 Advice for firefighters

Special protective equipment

for firefighters

: In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

In the case of respirable dust and/or fumes, use self-contained

breathing apparatus.

Exposure to decomposition products may be a hazard to

health.

Further information : Standard procedure for chemical fires.

6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Evacuate personnel to safe areas.

Use personal protective equipment.

Ensure adequate ventilation.

Do not breathe vapours or spray mist.

Refer to protective measures listed in sections 7 and 8.

6.2 Environmental precautions

Environmental precautions : Try to prevent the material from entering drains or water

courses.

Prevent further leakage or spillage if safe to do so.

Local authorities should be advised if significant spillages

cannot be contained.

6.3 Methods and materials for containment and cleaning up

Methods for cleaning up : Contain spillage, and then collect with non-combustible

absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to

local / national regulations (see section 13).

6.4 Reference to other sections

For personal protection see section 8.



W & H Service Oil F1 MD 30 Standard

Version 1.2 Revision Date 15.07.2016 Print Date 15.07.2016

7. Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : Do not breathe vapours or spray mist.

Avoid contact with skin and eyes. For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the

application area.

Wash hands and face before breaks and immediately after

handling the product.

Do not get in eyes or mouth or on skin.

Do not get on skin or clothing.

Do not ingest. Do not repack.

Do not re-use empty containers.

These safety instructions also apply to empty packaging which

may still contain product residues. Keep container closed when not in use. Avoid inhalation of vapour or mist.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

: Store in original container.

Keep container closed when not in use. Keep in a dry, cool and well-ventilated place.

Containers which are opened must be carefully resealed and

kept upright to prevent leakage.

Store in accordance with the particular national regulations.

Keep in properly labelled containers.

7.3 Specific end use(s)

: Consult the technical guidelines for the use of this

substance/mixture.

8. Exposure controls/personal protection

8.1 Control parameters

Contains no substances with occupational exposure limit values.

8.2 Exposure controls

Engineering measures

Maintain air concentrations below occupational exposure standards.

Personal protective equipment

Respiratory protection : Not required; except in case of aerosol formation.

Filter type A-P



W & H Service Oil F1 MD 30 Standard

Version 1.2 Revision Date 15.07.2016 Print Date 15.07.2016

Hand protection : For prolonged or repeated contact use protective gloves.

The selected protective gloves have to satisfy the

specifications of EU Directive 89/686/EEC and the standard

EN 374 derived from it.

The break through time depends amongst other things on the material, the thickness and the type of glove and therefore has

to be measured for each case.
In case of contact through splashing:

: Nitrile rubber

Protective index Class 1

Eye protection : Safety glasses with side-shields conforming to EN166

Hygiene measures : Wash face, hands and any exposed skin thoroughly after

handling.

Protective measures : The type of protective equipment must be selected according

to the concentration and amount of the dangerous substance

at the specific workplace.

Choose body protection in relation to its type, to the

concentration and amount of dangerous substances, and to

the specific work-place.

Environmental exposure controls

General advice : Try to prevent the material from entering drains or water

courses.

: characteristic

Prevent further leakage or spillage if safe to do so.

Local authorities should be advised if significant spillages

cannot be contained.

9. Physical and chemical properties

Odour

9.1 Information on basic physical and chemical properties

Appearance : liquid

Colour : yellow

Odour Threshold : No data available

pH : No data available
Melting point/range : No data available

Boiling point/boiling range : No data available

Flash point : > 200 °C, Test Method: open cup

Evaporation rate : No data available
Flammability (solid, gas) : No data available
Lower explosion limit : No data available
Upper explosion limit : No data available
Vapour pressure : < 0.001 hPa, 20 °C

according to Regulation (EC) No. 1907/2006 - GB



W & H Service Oil F1 MD 30 Standard

Version 1.2 Revision Date 15.07.2016 Print Date 15.07.2016

Relative vapour density : No data available

Density : 0.85 g/cm3, 20 °C

Water solubility : insoluble

Solubility in other solvents : No data available

Partition coefficient: n- : No data available

octanol/water

Auto-ignition temperature : No data available Ignition temperature : No data available Thermal decomposition : No data available Viscosity, dynamic : No data available Viscosity, kinematic : 25 mm2/s, 40 °C Explosive properties : Not explosive Oxidizing properties : No data available

9.2 Other information

Sublimation point : Not applicable
Bulk density : Not applicable

10. Stability and reactivity

10.1 Reactivity

None reasonably foreseeable.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions : No dangerous reaction known under conditions of normal use.

10.4 Conditions to avoid

Conditions to avoid : No conditions to be specially mentioned.

10.5 Incompatible materials

Materials to avoid : No materials to be especially mentioned.

10.6 Hazardous decomposition products

Hazardous decomposition

products

: No decomposition if stored and applied as directed.

11. Toxicological information

11.1 Information on toxicological effects

Product

Acute oral toxicity : This information is not available.



W & H Service Oil F1 MD 30 Standard

Version 1.2 Revision Date 15.07.2016 Print Date 15.07.2016

Acute inhalation toxicity : This information is not available.

Acute dermal toxicity : This information is not available.

Skin corrosion/irritation : This information is not available.

Serious eye damage/eye : This information is not available.

irritation
Respiratory or skin

sensitisation

This information is not available.

Germ cell mutagenicity

Genotoxicity in vitro : No data available
Genotoxicity in vivo : No data available
Carcinogenicity : No data available
Reproductive toxicity : No data available
Teratogenicity : No data available

Repeated dose toxicity : This information is not available.

Aspiration toxicity : This information is not available.

Further information : Information given is based on data on the components and

the toxicology of similar products.

12. Ecological information

12.1 Toxicity

Product:

Toxicity to fish

No data available

Toxicity to daphnia and other

aquatic invertebrates
Toxicity to algae

No data available

No data available

Toxicity to bacteria

No data available

12.2 Persistence and degradability

Product:

Biodegradability

No data available

Physico-chemical

No data available

removability

12.3 Bioaccumulative potential

Product:

Bioaccumulation

This mixture contains no substance considered to be persistent, bioaccumulating and toxic (PBT)., This mixture

according to Regulation (EC) No. 1907/2006 - GB



W & H Service Oil F1 MD 30 Standard

Version 1.2 Revision Date 15.07.2016 Print Date 15.07.2016

contains no substance considered to be very persistent and

very bioaccumulating (vPvB).

12.4 Mobility in soil

Product:

Mobility : No data available Distribution among : No data available

environmental compartments

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This mixture contains no substance considered to be

persistent, bioaccumulating and toxic (PBT)., This mixture contains no substance considered to be very persistent and

very bioaccumulating (vPvB).

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher.

12.6 Other adverse effects

Product:

Additional ecological

information

: No information on ecology is available.

13. Disposal considerations

13.1 Waste treatment methods

Product : The product should not be allowed to enter drains, water

courses or the soil.

: Waste codes should be assigned by the user based on the

application for which the product was used.

Contaminated packaging : Empty containers can be landfilled, when in accordance with

the local regulations.

14. Transport information

14.1 UN number

ADR

Not dangerous goods

IMDG

Not dangerous goods

IATA

Not dangerous goods

14.2 Proper shipping name

ADR

Not dangerous goods

IMDG



W & H Service Oil F1 MD 30 Standard

Version 1.2 Revision Date 15.07.2016 Print Date 15.07.2016

Not dangerous goods

IATA

Not dangerous goods

14.3 Transport hazard class

ADR

Not dangerous goods

IMDG

Not dangerous goods

IATA

Not dangerous goods

14.4 Packing group

ADR

Not dangerous goods

IMDG

Not dangerous goods

IATA

Not dangerous goods

14.5 Environmental hazards

ADR

Not dangerous goods

IMDG

Not dangerous goods

IATA

Not dangerous goods

14.6 Special precautions for user

No special precautions required.

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Remarks : Not applicable for product as supplied.

15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Candidate List of Substances of Very High

Concern for Authorisation

(Article 59).

: This product does not contain substances of very high

concern (Regulation (EC) No 1907/2006 (REACH), Article 57).

Major Accident Hazard

Legislation

: 96/82/EC Update:

Not applicable

15.2 Chemical Safety Assessment

This information is not available.

according to Regulation (EC) No. 1907/2006 - GB



W & H Service Oil F1 MD 30 Standard

Version 1.2 Revision Date 15.07.2016 Print Date 15.07.2016

16. Other information

Further information

This safety datasheet applies only to products originally packaged and labelled by KLÜBER LUBRICATION. The information contained therein is protected by copyright and must not be reproduced or amended without the express written approval of KLÜBER LUBRICATION. This document may be passed on only to the extent required by law. Any dissemination of our safety datasheets (e.g. as a document for download from the Internet) beyond this legally required extent is not permitted without express written consent. KLÜBER LUBRICATION provides its customers with amended safety datasheets as prescribed by law. The customer is responsible for passing on safety datasheets and any amendments contained therein to its own customers, employees and other users of the product. KLÜBER LUBRICATION provides no guarantee that safety datasheets received by users from third parties are up-to-date. All information and instructions in this safety datasheets were compiled to the best of our knowledge and are based on the information available to us. The data provided are intended to describe the product in relation to the required safety measures; they are neither an assurance of characteristics nor a guarantee of the product's suitability for particular applications and do not justify any contractual legal relationships.